# **SAFETY DATA SHEET**

# Sawyer.

### **Section 1. Identification**

Product identifier : SAWYER PREMIUM INSECT REPELLENT 20% PICARIDIN

Material Number
Identified uses
Supplier/Manufacturer

: SP541, SP543, SP544 : Topical Insect Repellent SAWYER PRODUCTS, Inc.

PO Box 188

Safety Harbor, FL 34695

USA

For information: US/Canada (800) 356.7811

International +1 727.725.1177

In case of emergency: Chemtrec (800) 424-9300

International (703) 527-3887

Lanxess Emergency Phone (800) 410-3063.

### Section 2. Hazards identification

Physical state : Liquid.

Hazard pictograms





Signal word Hazard statements : Warning

H225 - Highly flammable liquid and vapor

H302 - Harmful if swallowed H319 - Causes eye irritation

**Precautionary statements** 

P210 - Keep away from heat/sparks/open flame/hot surfaces - No smoking

P233+234 - Keep container tightly closed. Keep in original container

P403 - Store in a well-ventilated place P102 - Keep out of the reach of children.

P305+P351+P338 - IF IN EYES; Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue ringing the eye

rinsing the eye.

P301+330+331+315 - IF SWALOWED: Call a physician or Poison Control Center for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told

to do so by a doctor. Do not give anything to an unconscious person.

**Disposal** 

: Dispose of contents and container in accordance with all local, regional, national and international regulations.

Supplemental label elements

: Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials and food and drink.

# Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Ingredient name	%	CAS number
Picaridin, 1-Methylpropyl-2-(2-hydroxyethyl) -1-piperidine carboxylate	20	119515-38-7
Ethanol	27 - 33%	64-17-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

### **Description of first aid measures**

Eye contact

: Not a direct hazard. Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical

attention if irritation develops and persists.

Inhalation

: Not a direct hazard. Move to fresh air and keep at rest. Call a physician if symptoms develop and persist.

Skin contact

: Not a direct hazard. Get medical attention if needed.

Ingestion

Not considered dangerous. Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low to avoid getting into the lungs. Call a poison control center if large amounts are ingested. Never give anything by mouth to an unconscious person.

#### Potential acute health effects

**Eye contact** : Causes eye irritation.

## Section 5. Fire-fighting measures

#### Extinguishing media

Suitable extinguishing

media

: Use dry chemical, CO<sub>2</sub>, water spray (fog) or foam.

**Unsuitable extinguishing** 

media

: Do not use water jet.

Specific hazards arising From the chemical

: Flammable liquid and vapor. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Runoff to sewer may create fire or explosion hazard.

Hazardous thermal Decomposition products

: Decomposition products may include the following

materials: carbon dioxide carbon monoxide nitrogen oxide

Special protective actions For fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. If this is impossible, withdraw from area and allow fire to burn. Fight fire from protected location or maximum possible distance.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

**Environmental precautions** 

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

# Methods and materials for containment and cleaning up

: Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. Prevent entry into sewers, water courses, basements or confined areas

## Section 7. Handling and storage

#### Precautions for safe handling

Advice for safe handling For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the application

area.

Dispose of rinse water in accordance with local regulations.

Keep product in its original container.

Conditions for safe storage Keep container tightly closed.

Store this product in a cool, dry place away from heat or direct sunlight.

# Section 8. Exposure controls/personal protection

#### Occupational exposure limits

Ingredient name	Exposure limits
Ethanol	ACGIH TLV (United States, 4/2014). STEL: 1000 ppm 15 minutes. OSHA PEL (United States, 2/2013). TWA: 1000 ppm 8 hours. TWA: 1900 mg/m³ 8 hours.

Appropriate engineering controls : General ventilation is usually adequate. When handling large quantities of

. General ventuation is usually adequate. When harding large quantities

concentrated product; Use local exhaust ventilation, if necessary.

**Personal protection** 

**Eye/face protection** : safety glasses with side-shields

Medical Surveillance : Not available

## Section 9. Physical and chemical properties

**Physical state** : Liquid.

Color : Colorless, clear Odor : Not available. Not available. Odor threshold

Hq 4.96

**Boiling point** : >35 °C (1013 hPa) : Not available. **Melting point** 

: Closed cup: 26°C (78.8°F) Flash point

**Evaporation rate** : Not available.

**Explosion limits** : Not available. Vapor pressure : Not available. **Density** : 0.982 g/ml Specific gravity (Relative : Not available.

density)

**Solubility** : Easily soluble in the following materials: cold water

Partition coefficient: n-

octanol/water

: Not available.

Vapor density : Not available.

: 7.863 (20 °C), 4.005 (40 °C) **Viscosity** 

**Auto-ignition temperature** : Not available.

**Decomposition temperature** : Not available.

# Section 10. Stability and reactivity

**Chemical stability** : The product is stable.

Possibility of hazardous

Reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

**Conditions to avoid** : Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze,

solder, drill, grind or expose containers to heat or sources of ignition.

Incompatible materials : Reactive or incompatible with the following materials: oxidizing materials.

**Hazardous decomposition** 

**Products** 

: Under normal conditions of storage and use, hazardous decomposition products should not

be produced

### Section 11. Toxicological information

Information on the likely

routes of exposure : Eye contact. Ingestion.

Potential acute health effects

**Eye contact** : Causes eye irritation.

**Ingestion** : May be harmful if swallowed.

Information on toxicological effects

Acute oral toxicity : >5,000 mg/kg (rat)

Acute dermal toxicity : >5,000 mg/kg (rat)

Acute inhalation toxicity : LC50 - 4.36 mg/l

Primary eye irritation : moderately irritating to eye (rabbit)

Primary dermal irritation : Not a dermal irritant (rabbit)

**Dermal sensitization** : Not sensitizing (guinea pig)

**Carcinogenicity**: No known significant effects or critical hazards.

**Mutagenicity**: No known significant effects or critical hazards.

**Teratogenicity**: No known significant effects or critical hazards.

**Developmental effects** : No known significant effects or critical hazards.

**Fertility effects** : No known significant effects or critical hazards.

## Section 12. Ecological information

Mobility : No data available.

**Biodegradability**: Ethanol is expected to be biodegradable.

**Bioaccumulation**: No data available.

**Toxicity**: Ethanol is not classified as harmful or toxic to aquatic life. LC50

Fish (Leuciscus idus) 4,600 mg/L (96hr).

# Section 13. Disposal considerations

**Disposal methods** : Do not reuse any empty containers.

**US:** This product is a hazardous liquid waste (D001) as defined in Resource Conservation Recovery Act Regulations (40 CFR 261)and should be disposed of according to local, state and Federal regulations Dispose of partially filled and empty containers by wrapping and

discarding in trash.

**International:** This product should not be disposed of via the drains or by landfill. Disposal must be in accordance with current national and local regulations. Chemical residues generally count as special waste, and their disposal may be regulated in the EC member countries through corresponding laws and regulations. We recommend that you contact either the authorities or approved waste disposal companies who will advise you on how to dispose of special waste.

RCRA classification This product is defined as a hazardous waste (D001).

Section 14. Transport information						
Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	UN1170	Ethanol solutions	3	III	RAMMARE LIGHT	24, B1, IB3, T2, TP1
IMDG Class	UN1170	ETHANOL SOLUTION	3	III	3	Emergency schedules (EmS) F-E, S-D
IATA-DGR Class	UN1170	ETHANOL SOLUTION	3	III		Passenger aircraft 355: 60 L
					3	Cargo aircraft 366: 220 L

PG\* : Packing group RQ : 0 lbs

# **Section 15. Regulatory information**

**SARA 311/312** : None

**SARA Title III Section 302** 

**Extremely Hazardous**: None

**Substances** 

**SARA Title III Section 313** 

Toxic Chemicals : None

US EPA CERCLA : None Hazardous Subtances

(40 CFR 302)

#### State regulations

The following chemicals are specifically listed by individual states; other product specific health and safety data in other sections on the SDS may also be applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.

SAWYER PREMIUM INSECT REPELLENT 20% PICARIDIN

Ingredient name	<b>CAS number</b>	State Code	<b>Concentration</b>
Ethanol Water Polyethylene Glycol 1-Piperidinecarboxylic Acid, 2- (2-hydroxyethyl)-, 1-methylpropylester	64-17-5 7732-18-5 25322-68-3	MA - S, NJ - HS, PA - RTK HS	27 - 33% 30 - 36% 18 - 24% 17 - 23%

Massachusetts Substances: MA - S

Massachusetts Extraordinary Hazardous Substances: MA - Extra HS

New Jersey Hazardous Substances: NJ - HS

Pennsylvania RTK Hazardous Substances: PA - RTK HS Pennsylvania Special Hazardous Substances: PA - Special HS

#### California Prop. 65

To the best of our knowledge, this product does not contain any of the listed chemicals, which the state of California has found to cause cancer, birth defects or other reproductive harm.


**U.S. Toxic Substances** 

: Not listed on TSCA Inventory, for R&D Use Only, Section 5 (h)(3) limitations apply.

**Control Act** 

### Section 16. Other information

Hazardous Material Information System



0=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme \*=Chronic

The customer is responsible for determining the PPE code for this material. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

National Fire Protection Association (U.S.A.)



0= Minimal 1=Slight 2=Moderate 3=Serious 4=Severe

LANXESS' method of hazard communication is comprised of Product Labels and Safety Data Sheets. HMIS and NFPA ratings are provided by LANXESS as a customer service.

Date of issue : 6-28-2023

Date of previous issue : 2-11-2019

Version : 2B

Product Safety and Regulatory Affairs

✓ Indicates information that has changed from previously issued version.

### Notice to reader

This information is furnished without warranty, express or implied. This information is believed to be accurate to the best knowledge of Sawyer Products. The information in this SDS relates only to the specific material designated herein. Sawyer Products assumes no legal responsibility for use of or reliance upon the information in this SDS.